

desderman® pure gel**No Change Service!**Version
03.03Revision Date:
08.02.2017Date of last issue: 24.08.2016
Date of first issue: 29.04.2009**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

Trade name : desderman® pure gel

1.2 Relevant identified uses of the substance or mixture and uses advised againstUse of the Sub-
stance/Mixture : Disinfectants and general biocidal productsRecommended restrictions
on use : Restricted to professional users.**1.3 Details of the supplier of the safety data sheet**

Manufacturer/ Supplier : Schülke & Mayr GmbH
Robert-Koch-Str. 2

22851 Norderstedt
Germany
Telephone: +49 (0)40/ 52100-0
Telefax: +49 (0)40/ 52100318
mail@schuelke.com
www.schuelke.com

E-mail address of person
responsible for the
SDS/Contact person : Application Department
+49 (0)40/ 521 00 8800
ADHI@schuelke.com
(Schülke & Mayr UK Ltd.: +44-1142543500)

1.4 Emergency telephone number

Emergency telephone num-
ber : UK Poisons Emergency number: 0870 600 6266

Emergency telephone num-
ber : +49 (0)40/ 52100-0

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification (REGULATION (EC) No 1272/2008)**

Flammable liquids, Category 2 H225: Highly flammable liquid and vapour.
Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements**Labelling (REGULATION (EC) No 1272/2008)**

Hazard pictograms :



Signal word : Danger

Hazard statements : H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



desderman® pure gel

No Change Service!

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

Precautionary statements : P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P501 Dispose of contents/ container to an approved waste disposal plant.

Further information : Use biocides safely. Always read the label and product information before use.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Take precautionary measures against static discharge.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Solution of the following substances with harmless additives.

Hazardous components

Chemical name	Index-Number CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Ethanol	603-002-00-5 64-17-5 200-578-6 01-2119457610-43-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319	78,2
Propan-2-ol	603-117-00-0 67-63-0 200-661-7 01-2119457558-25-XXXX	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	10
Biphenyl-2-ol	604-020-00-6 90-43-7 201-993-5	Eye Irrit. 2; H319 Eye Dam. 1; H318 STOT SE 3; H335 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	0,1

For explanation of abbreviations see section 16.

desderman® pure gel**No Change Service!**Version
03.03Revision Date:
08.02.2017Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

SECTION 4: First aid measures**4.1 Description of first aid measures**

- General advice : Take off all contaminated clothing immediately.
If inhaled : Move to fresh air. If symptoms persist, call a physician.
In case of eye contact : Rinse thoroughly with plenty of water, also under the eyelids.
If eye irritation persists, consult a specialist.
If swallowed : Do NOT induce vomiting. Clean mouth with water and drink afterwards plenty of water. If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Treat symptomatically.,

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

- Suitable extinguishing media : Alcohol-resistant foam, Dry powder, Water spray jet, Carbon dioxide (CO₂)
Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

- Specific hazards during fire-fighting : Cool closed containers exposed to fire with water spray.
Specific risk from the substance or the product itself, its combustion products or evolved gases : Vapours may form explosive mixtures with air.

5.3 Advice for firefighters

- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

- Personal precautions : Ensure adequate ventilation. Remove all sources of ignition.

6.2 Environmental precautions

- Environmental precautions : Avoid subsoil penetration.

6.3 Methods and material for containment and cleaning up

- Methods for cleaning up : Wipe up with absorbent material (e.g. cloth, fleece).
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

desderman® pure gel

No Change Service!

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

6.4 Reference to other sections

see Section 8 + 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep away from children. Ensure adequate ventilation.
- Advice on protection against fire and explosion : The hot product gives off combustible vapours. Take measures to prevent the build up of electrostatic charge.
- Hygiene measures : Keep away from food and drink.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store at room temperature in the original container. Keep at temperature not exceeding 25 °C.
- Further information on storage conditions : Keep away from direct sunlight. Keep container tightly closed.
- Advice on common storage : Do not store together with oxidising agents.

7.3 Specific end use(s)

- Specific use(s) : none

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Ethanol	64-17-5	Permissible exposure limit	500 ppm 960 mg/m ³	TRGS 900
		Ceiling Limit Value	1.000 ppm 1.920 mg/m ³	TRGS 900
		Permissible exposure limit	1.000 ppm 1.900 mg/m ³	OSHA
Propan-2-ol	67-63-0	Permissible exposure limit	200 ppm 500 mg/m ³	TRGS 900
		Ceiling Limit Value	400 ppm 1.000 mg/m ³	TRGS 900
		Permissible exposure limit	400 ppm 980 mg/m ³	OSHA

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
Ethanol	Workers	Inhalation	Acute effects, Local effects	1900 mg/m ³
		Skin contact	Chronic effects	343 mg/kg
	Workers	Inhalation	Chronic effects	950 mg/m ³
Propan-2-ol	Workers	Skin contact	Long-term exposure, Systemic effects	888 mg/kg

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

desderman® pure gel *No Change Service!*

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

	Workers	Inhalation	Long-term exposure, Systemic effects	500 mg/m ³
--	---------	------------	---	-----------------------

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Ethanol	Fresh water	0,96 mg/l
	Marine water	0,79 mg/l
	Fresh water sediment	3,6 mg/kg
	Soil	0,63 mg/kg
Propan-2-ol	Fresh water	140,9 mg/l
	Marine water	140,9 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Intermittent use/release	140,9 mg/l
	Effects on waste water treatment plants	2251 mg/l
	Oral	160 mg/kg food

8.2 Exposure controls

Personal protective equipment

Eye protection : If splashes are likely to occur, wear:
Safety glasses with side-shields conforming to EN166

Protective measures : Avoid contact with eyes.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : viscous
Colour : colourless
Odour : alcohol-like
Odour Threshold : not determined
pH : Not applicable
Melting point/freezing point : < -5 °C
Decomposition temperature : No data available
Boiling point/boiling range : ca. 80 °C
Flash point : 13 °C, DIN 53213, Part 1
Evaporation rate : No data available
Flammability (solid, gas) : Not applicable
Upper explosion limit : Ethanol: 15 %(V)
Lower explosion limit : Ethanol: 3,1 %(V)
Vapour pressure : ca. 50 hPa, 20 °C
Relative vapour density : No data available
Density : ca. 0,83 g/cm³, 20 °C
Solubility(ies)
Water solubility : in all proportions , 20 °C

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke -†

desderman® pure gel

No Change Service!

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

Partition coefficient: n-octanol/water	:	Not applicable
Auto-ignition temperature	:	Ethanol: > 360 °C
Viscosity	:	
Viscosity, dynamic	:	700 - 1.300 mPa*s, 20 °C, DIN 53019
Explosive properties	:	No data available
Oxidizing properties	:	No data available

9.2 Other information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Vapours may form explosive mixture with air. Exothermic reaction with strong acids.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong acids and oxidizing agents,

10.6 Hazardous decomposition products

None reasonably foreseeable.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5.000 mg/kg
Acute inhalation toxicity	:	Acute toxicity estimate: 40 mg/l
Acute dermal toxicity	:	Acute toxicity estimate: > 10.000 mg/kg

Skin corrosion/irritation

Product:

No skin irritation

Serious eye damage/eye irritation

Product:

Causes serious eye irritation., Calculation method

Respiratory or skin sensitisation

Components:

Ethanol:

desderman® pure gel**No Change Service!**Version
03.03Revision Date:
08.02.2017Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

Did not cause sensitisation on laboratory animals. Maximisation Test, Guinea pig

Propan-2-ol:

Did not cause sensitisation on laboratory animals. Buehler Test, Guinea pig

Biphenyl-2-ol:

Did not cause sensitisation on laboratory animals. Maximisation Test, Guinea pig

Germ cell mutagenicity**Components:****Ethanol:**

Genotoxicity in vitro : OECD Test Guideline 471, Not mutagenic in Ames Test

Genotoxicity in vivo : not mutagenic

Germ cell mutagenicity- Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Propan-2-ol:

Genotoxicity in vitro : Ames test, Mutagenicity (Escherichia coli - reverse mutation assay), not mutagenic

Genotoxicity in vivo : Mouse, Mutagenicity (micronucleus test), not mutagenic

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Biphenyl-2-ol:

Germ cell mutagenicity- Assessment : Not mutagenic in Ames Test

Carcinogenicity**Components:****Ethanol:**

Carcinogenicity - Assessment : Did not show carcinogenic effects in animal experiments.

Propan-2-ol:

Carcinogenicity - Assessment : Based on available data, the classification criteria are not met.

Biphenyl-2-ol:

Carcinogenicity - Assessment : No data available

Reproductive toxicity**Components:****Ethanol:**

Effects on foetal development : Rat, Oral, NOAEL: 2.000 mg/kg

Reproductive toxicity - Assessment : In animal testing, risk of impaired fertility was shown only after administration of very high doses of this substance.

Propan-2-ol:

Reproductive toxicity - Assessment : Based on available data, the classification criteria are not met.

Biphenyl-2-ol:

Reproductive toxicity - Assessment : No data available

STOT - single exposure**Components:****Ethanol:**

No data available

desderman® pure gel *No Change Service!*Version
03.03Revision Date:
08.02.2017Date of last issue: 24.08.2016
Date of first issue: 29.04.2009**Propan-2-ol:**

May cause drowsiness or dizziness.

Biphenyl-2-ol:

Respiratory system, May cause respiratory irritation.

STOT - repeated exposure**Components:****Propan-2-ol:**

Based on available data, the classification criteria are not met.

Biphenyl-2-ol:

No data available

Repeated dose toxicity**Components:****Ethanol:**

Rat, NOAEL: 1.730 mg/kg, LOAEL: 3.160 mg/kg, Oral90 d

Aspiration toxicity

No data available

Further information**Product:**

No data available

SECTION 12: Ecological information**12.1 Toxicity****Product:**

Toxicity to bacteria : EC50 : 4.000 mg/l , OECD 209

Components:**Ethanol:**

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 8.140 mg/l, 48 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 5.000 mg/l, 48 h

Toxicity to algae : IC50 (Scenedesmus quadricauda (Green algae)): > 100 mg/l, 72 h

Propan-2-ol:

Toxicity to fish : LC50 (Leuciscus idus): > 100 mg/l, 48 h, static test, Raw material, literature value

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): > 100 mg/l, 48 h, static test, Raw material, literature value

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l, 72 h, static test, Raw material, literature value

Biphenyl-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 5,99 mg/l, 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna): 1,5 mg/l, 24 h

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0,98 mg/l, 72 h

M-Factor (Acute aquatic toxicity) : 1

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

desderman® pure gel

No Change Service!

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,009 mg/l , 21 d, Daphnia magna (Water flea)
M-Factor (Chronic aquatic toxicity) : 1

12.2 Persistence and degradability

Product:

Biodegradability : Readily biodegradable., OECD 301D / EEC 84/449 C6

Components:

Ethanol:

Biodegradability : Readily biodegradable.

Propan-2-ol:

Biodegradability : Readily biodegradable.

Biphenyl-2-ol:

Biodegradability : Biodegradation: > 75 %, Exposure time: 28 d, OECD 301B/ ISO 9439/ EEC 84/449 C5

12.3 Bioaccumulative potential

Components:

Ethanol:

Bioaccumulation : Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -0,14, calculated

Propan-2-ol:

Bioaccumulation : No bioaccumulation is to be expected (log Pow <= 4).

Partition coefficient: n-octanol/water : log Pow: 0,05 (20 °C), OECD Test Guideline 107

Biphenyl-2-ol:

Bioaccumulation : Bioconcentration factor (BCF): 21,07, Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: 3,18

12.4 Mobility in soil

Components:

Ethanol:

Mobility : No data available

Propan-2-ol:

Mobility : Mobile in soils

Biphenyl-2-ol:

Mobility : No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

desderman® pure gel

No Change Service!

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

12.6 Other adverse effects

Product:

Additional ecological information : none

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of the product according to the defined EWC (European Waste Code) No.
Contaminated packaging : Take empty packaging to the recycling plant.
Waste key for the unused product : EWC 070604
Waste key for the unused product(Group) : Waste material of HZVA from fats, lubricants, soaps, detergents, disinfectants and personal protection products.

SECTION 14: Transport information

14.1 UN number

ADR : UN 1987
IMDG : UN 1987
IATA : UN 1987

14.2 UN proper shipping name

ADR : ALCOHOLS, N.O.S.
(Propan-2-ol, Ethanol)
IMDG : ALCOHOLS, N.O.S.
(Propan-2-ol, Ethanol)
IATA : Alcohols, n.o.s.
(Propan-2-ol, Ethanol)

14.3 Transport hazard class(es)

ADR : 3
IMDG : 3
IATA : 3

14.4 Packing group

ADR
Packing group : II
Classification Code : F1
Hazard Identification Number : 33
Labels : 3
Tunnel restriction code : D/E
IMDG
Packing group : II
Labels : 3
EmS Code : F-E, S-D

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

schülke 

desderman® pure gel

No Change Service!

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009

IATA

Packing instruction (cargo aircraft) : 364
Packing group : II
Labels : Flammable Liquid

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : Not applicable

Regulation (EC) No 850/2004 on persistent organic pollutants : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : FLAMMABLE LIQUIDS

Volatile organic compounds : Volatile organic compounds (VOC) content: 88 %, Directive 2010/75/EC on the limitation of emissions of volatile organic compounds

Other regulations : Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work. Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values. Regulation (EU) No 528/2012 of the European Parliament and of the Council of 22 May 2012 concerning the making available on the market and use of biocidal products

15.2 Chemical safety assessment

Exempt

SECTION 16: Other information

desderman® pure gel**No Change Service!**Version
03.03Revision Date:
08.02.2017Date of last issue: 24.08.2016
Date of first issue: 29.04.2009**Full text of H-Statements**

H225	: Highly flammable liquid and vapour.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.
H336	: May cause drowsiness or dizziness.
H400	: Very toxic to aquatic life.
H410	: Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute	: Acute aquatic toxicity
Aquatic Chronic	: Chronic aquatic toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Flam. Liq.	: Flammable liquids
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008

Flam. Liq. 2, H225	: On basis of test data.
Eye Irrit. 2, H319	: Calculation method

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006



desderman® pure gel

No Change Service!

Version
03.03

Revision Date:
08.02.2017

Date of last issue: 24.08.2016
Date of first issue: 29.04.2009



Changes compared with the previous edition!!!

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.