Dycal Radiopaque Calcium Hydroxide - Base Paste

Dentsply Sirona Pty Ltd

Chemwatch: **4993-50** Version No: **2.1.1.1**

Safety Data Sheet according to WHS and ADG requirements

Chemwatch Hazard Alert Code: 2

Issue Date: **27/06/2017** Print Date: **04/01/2018** S.GHS.AUS.EN

SECTION 1 IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

Product Identifier

Product name	Dycal Radiopaque Calcium Hydroxide - Base Paste		
Synonyms	DYCAL Radiopaque Calcium Hydroxide Composition - Base Paste., Part number: 623400 - 623452 Dentin and Ivory Shades - Base Pastes.		
Proper shipping name	ing name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains zinc oxide)		
Other means of identification	Not Available		

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use

For dental use only.

Details of the supplier of the safety data sheet

Registered company name	Dentsply Sirona Pty Ltd	
Address	11-21 Gilby Road Mount Waverley VIC 3149 Australia	
Telephone	1300 55 29 29	
Fax	1300 55 31 31	
Website	www.dentsply.com.au	
Email	clientservices@dentsplysirona.com	

Emergency telephone number

Association / Organisation	Not Available
Emergency telephone numbers	1300 55 29 29
Other emergency telephone numbers	Not Available

SECTION 2 HAZARDS IDENTIFICATION

Classification of the substance or mixture

HAZARDOUS CHEMICAL. DANGEROUS GOODS. According to the WHS Regulations and the ADG Code.

CHEMWATCH HAZARD RATINGS

	Min	Max	
Flammability	0		
Toxicity	1		0 = Minimum
Body Contact	2		1 = Low 2 = Moderate
Reactivity	0		3 = High
Chronic	0		4 = Extreme

Poisons Schedule	Not Applicable
Classification [1]	Skin Corrosion/Irritation Category 2, Eye Irritation Category 2A, Acute Aquatic Hazard Category 2, Chronic Aquatic Hazard Category 2
Legend:	1. Classified by Chemwatch; 2. Classification drawn from HSIS; 3. Classification drawn from EC Directive 1272/2008 - Annex VI

Label elements

Hazard pictogram(s)





SIGNAL WORL	D WARNING
	4

Hazard statement(s)

H315	Causes skin irritation.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Page 2 of 8

Issue Date: **27/06/2017**Print Date: **04/01/2018**

Dycal Radiopaque Calcium Hydroxide - Base Paste

P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	

Precautionary statement(s) Response

P362	Take off contaminated clothing and wash before reuse.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	

Precautionary statement(s) Storage

Not Applicable

Precautionary statement(s) Disposal

P501

Dispose of contents/container in accordance with local regulations.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
Not Available	<50	disalicylate ester of 1,3-butylene glycol
7790-75-2	<20	calcium tungstate(VI)
1314-13-2	<15	zinc oxide

SECTION 4 FIRST AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: • Wash out immediately with fresh running water. • Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. • Seek medical attention without delay; if pain persists or recurs seek medical attention. • Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes, aerosols or combustion products are inhaled remove from contaminated area. Other measures are usually unnecessary.
Ingestion	 If swallowed do NOT induce vomiting. If vomiting occurs, lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration. Observe the patient carefully. Never give liquid to a person showing signs of being sleepy or with reduced awareness; i.e. becoming unconscious. Give water to rinse out mouth, then provide liquid slowly and as much as casualty can comfortably drink. Seek medical advice.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Both dimercaptol and calcium disodium edetate are said to be effective in acute experimental tungsten poisonings.

SECTION 5 FIREFIGHTING MEASURES

Extinguishing media

- ► Foam.
- Dry chemical powder.
- ► BCF (where regulations permit).
- Carbon dioxide.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.
Advice for firefighters	
Fire Fighting	 Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves in the event of a fire. Prevent, by any means available, spillage from entering drains or water courses. Use fire fighting procedures suitable for surrounding area.
Fire/Explosion Hazard	Non combustible. Not considered a significant fire risk, however containers may burn. May emit poisonous fumes.

Page 3 of 8

Issue Date: **27/06/2017** Print Date: **04/01/2018**

Dycal Radiopaque Calcium Hydroxide - Base Paste

HAZCHEM

•37

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

Minor Spills	Environmental hazard - contain spillage. Clean up all spills immediately. Avoid contact with skin and eyes. Wear impervious gloves and safety goggles. Trowel up/scrape up.
Major Spills	 Clear area of personnel and move upwind. Alert Fire Brigade and tell them location and nature of hazard. Wear breathing apparatus plus protective gloves. Prevent, by any means available, spillage from entering drains or water course. Environmental hazard - contain spillage.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. Prevent concentration in hollows and sumps.
Other information	 Store in original containers. Keep containers securely sealed. Store in a cool, dry, well-ventilated area. Store away from incompatible materials and foodstuff containers.

Conditions for safe storage, including any incompatibilities

	3.,,
Suitable container	 Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	 WARNING: Avoid or control reaction with peroxides. All transition metal peroxides should be considered as potentially explosive. For example transition metal complexes of alkyl hydroperoxides may decompose explosively. The pi-complexes formed between chromium(0), vanadium(0) and other transition metals (haloarene-metal complexes) and mono-or poly-fluorobenzene show extreme sensitivity to heat and are explosive. A void reaction with pydision argents

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
Australia Exposure Standards	zinc oxide	Zinc oxide (fume)	5 mg/m3	10 mg/m3 / - ppm	Not Available	Not Available
Australia Exposure Standards	zinc oxide	Zinc oxide (dust)	10 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
zinc oxide	Zinc oxide	10 mg/m3	15 mg/m3	2,500 mg/m3
Ingredient	Original IDLH		Revised IDLH	
disalicylate ester of 1,3-butylene glycol	Not Available		Not Available	
calcium tungstate(VI)	Not Available		Not Available	
zinc oxide	500 mg/m3		Not Available	

Exposure controls

Appropriate engineering controls

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:


Process controls which involve changing the way a job activity or process is done to reduce the risk.

Enclosure and/or isolation of emission source which keeps a selected hazard "physically" away from the worker and ventilation that strategically "adds" and "removes" air in the work environment.

Version No: 2.1.1.1

Dycal Radiopaque Calcium Hydroxide - Base Paste

Issue Date: 27/06/2017 Print Date: 04/01/2018



SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Light yellow coloured paste with cloves odour; not soluble in water.		
Physical state	Non Slump Paste	Relative density (Water = 1)	2.0
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Applicable
pH (as supplied)	Not Applicable	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Applicable
Flash point (°C)	Not Applicable	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Applicable	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Applicable	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Applicable	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Applicable
Vapour density (Air = 1)	Not Applicable	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	The material is not thought to produce either adverse health effects or irritation of the respiratory tract following inhalation (as classified by EC Directives using animal models). Nevertheless, adverse systemic effects have been produced following exposure of animals by at least one other route and good hygiene practice requires that exposure be kept to a minimum and that suitable control measures be used in an occupational setting. Not normally a hazard due to non-volatile nature of product
Ingestion	Accidental ingestion of the material may be damaging to the health of the individual. If given orally, tungsten can accumulate in the spleen, kidney and liver. Symptoms of poisoning include diarrhoea, stoppage of breathing and circulatory collapse leading to death.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the

Issue Date: 27/06/2017 Chemwatch: 4993-50 Page 5 of 8 Version No: 2.1.1.1

Dycal Radiopaque Calcium Hydroxide - Base Paste

Print Date: 04/01/2018

Eye	This material can cause eye irritation and damage in some persons.		
Chronic	Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.		
Dycal Radiopaque Calcium	TOXICITY	IRRITATION	
Hydroxide - Base Paste	Not Available	Not Available	
calcium tungstate(VI)	TOXICITY	IRRITATION	
calcium tungstate(vi)	Not Available	Not Available	
	TOXICITY	IRRITATION	
zinc oxide	Oral (rat) LD50: >5000 mg/kg ^[1]	Eye (rabbit) : 500 mg/24 h - mild	d
		Skin (rabbit) : 500 mg/24 h- mile	d
l egend:	Value obtained from Europe ECHA Registered Substance	- Acute toxicity 2 * Value obtained from manufact	urer's SDS - Unless otherwise specifie
Legend:	Value obtained from Europe ECHA Registered Substance data extracted from RTECS - Register of Toxic Effect of cher The material may cause skin irritation after prolonged or repersolate and thickness of the atria.	ical Substances	
-	data extracted from RTECS - Register of Toxic Effect of cher	ical Substances ted exposure and may produce on contact skin re	
ZINC OXIDE Dycal Radiopaque Calcium Hydroxide - Base Paste &	data extracted from RTECS - Register of Toxic Effect of cher The material may cause skin irritation after prolonged or repe scaling and thickening of the skin.	ical Substances ted exposure and may produce on contact skin re- earch.	dness, swelling, the production of vesi
ZINC OXIDE Dycal Radiopaque Calcium Hydroxide - Base Paste & CALCIUM TUNGSTATE(VI) Dycal Radiopaque Calcium Hydroxide - Base Paste &	data extracted from RTECS - Register of Toxic Effect of cher The material may cause skin irritation after prolonged or repe scaling and thickening of the skin. No significant acute toxicological data identified in literature Tungsten can cause a reduction in body temperature, and en	ical Substances ted exposure and may produce on contact skin re- earch.	dness, swelling, the production of vesi
ZINC OXIDE Dycal Radiopaque Calcium Hydroxide - Base Paste & CALCIUM TUNGSTATE(VI) Dycal Radiopaque Calcium Hydroxide - Base Paste & CALCIUM TUNGSTATE(VI)	data extracted from RTECS - Register of Toxic Effect of cher The material may cause skin irritation after prolonged or repe scaling and thickening of the skin. No significant acute toxicological data identified in literature Tungsten can cause a reduction in body temperature, and en into the abdominal cavity.	ical Substances ted exposure and may produce on contact skin re- earch. argement of the adrenal glands and kidneys if inject	dness, swelling, the production of vesion
ZINC OXIDE Dycal Radiopaque Calcium Hydroxide - Base Paste & CALCIUM TUNGSTATE(VI) Dycal Radiopaque Calcium Hydroxide - Base Paste & CALCIUM TUNGSTATE(VI) Acute Toxicity	data extracted from RTECS - Register of Toxic Effect of cher The material may cause skin irritation after prolonged or repe scaling and thickening of the skin. No significant acute toxicological data identified in literature Tungsten can cause a reduction in body temperature, and en into the abdominal cavity.	ical Substances ted exposure and may produce on contact skin re- earch. argement of the adrenal glands and kidneys if inject	dness, swelling, the production of vesion
ZINC OXIDE Dycal Radiopaque Calcium Hydroxide - Base Paste & CALCIUM TUNGSTATE(VI) Dycal Radiopaque Calcium Hydroxide - Base Paste & CALCIUM TUNGSTATE(VI) Acute Toxicity Skin Irritation/Corrosion	data extracted from RTECS - Register of Toxic Effect of cher The material may cause skin irritation after prolonged or repe scaling and thickening of the skin. No significant acute toxicological data identified in literature Tungsten can cause a reduction in body temperature, and en into the abdominal cavity.	ical Substances ted exposure and may produce on contact skin re- earch. argement of the adrenal glands and kidneys if inject Carcinogenicity Reproductivity	dness, swelling, the production of vesion

→ – Data available to make classification

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Dycal Radiopaque Calcium Hydroxide - Base Paste	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	0.439mg/L	2
	EC50	48	Crustacea	0.105mg/L	2
zinc oxide	EC50	72	Algae or other aquatic plants	0.042mg/L	4
	BCF	336	Fish	4376.673mg/L	4
	NOEC	72	Algae or other aquatic plants	0.0049mg/L	2

Extracted from 1. IUCLID Toxicity Data 2. Europe ECHA Registered Substances - Ecotoxicological Information - Aquatic Toxicity 3. EPIWIN Suite V3.12 (QSAR) - Aquatic Toxicity Data (Estimated) 4. US EPA, Ecotox database - Aquatic Toxicity Data 5. ECETOC Aquatic Hazard Assessment Data 6. NITE (Japan) - Bioconcentration Data 7. METI (Japan) - Bioconcentration Data 8. Vendor Data

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
	No Data available for all ingredients	No Data available for all ingredients

Page 6 of 8 Version No: 2.1.1.1

Dycal Radiopaque Calcium Hydroxide - Base Paste

Issue Date: 27/06/2017 Print Date: 04/01/2018

Ingredient	Bioaccumulation
zinc oxide	LOW (BCF = 217)

Mobility in soil

Ingredient	Mobility	
No Data available for all ingredients		

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
- ▶ It may be necessary to collect all wash water for treatment before disposal.
- ▶ In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first. ▶ Where in doubt contact the responsible authority.
- ▶ Recycle wherever possible or consult manufacturer for recycling options.
- ► Consult State Land Waste Management Authority for disposal.
- Bury residue in an authorised landfill.
- Recycle containers if possible, or dispose of in an authorised landfill.

SECTION 14 TRANSPORT INFORMATION

Labels Required



Marine Pollutant



HAZCHEM •3Z

Land transport (ADG)

UN number	3082	
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains zinc oxide)	
Transport hazard class(es)	Class 9 Subrisk Not Applicable	
Packing group		
Environmental hazard	Environmentally hazardous	
Special precautions for user	Special provisions 274 331 335 375 AU01 Limited quantity 5 L	

Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082

are not subject to this Code when transported by road or rail in;

- (a) packagings;
- (b) IBCs; or
- (c) any other receptacle not exceeding 500 kg(L).
- Australian Special Provisions (SP AU01) ADG Code 7th Ed.

Air transport (ICAO-IATA / DGR)

UN number	3082			
UN proper shipping name	Environmentally hazardo	Environmentally hazardous substance, liquid, n.o.s. * (contains zinc oxide)		
Transport hazard class(es)	ICAO/IATA Class ICAO / IATA Subrisk ERG Code	9 Not Applicable 9L		
Packing group				
Environmental hazard	Environmentally hazardo	Environmentally hazardous		
Special precautions for user	Special provisions Cargo Only Packing Instructions Cargo Only Maximum Qty / Pack Passenger and Cargo Packing Instructions Passenger and Cargo Maximum Qty / Pack		A97 A158 A197 964 450 L 964 450 L	

Chemwatch: 4993-50 Page 7 of 8 Issue Date: 27/06/2017 Version No: 2.1.1.1 Print Date: 04/01/2018

Dycal Radiopaque Calcium Hydroxide - Base Paste

Passenger and Cargo Limited Quantity Packing Instructions	Y964
Passenger and Cargo Limited Maximum Qty / Pack	30 kg G

Sea transport (IMDG-Code / GGVSee)

UN number	3082		
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains zinc oxide)		
Transport hazard class(es)	IMDG Class 9 IMDG Subrisk Not Applicable		
Packing group	III .		
Environmental hazard	Marine Pollutant		
Special precautions for user	EMS Number F-A , S-F Special provisions 274 335 969 Limited Quantities 5 L		

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

CALCIUM TUNGSTATE(VI)(7790-75-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Inventory of Chemical Substances (AICS)

ZINC OXIDE(1314-13-2) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Australia Exposure Standards		Australia Inventory of Chemical Substances (AICS)
Australia Hazardous Substances Information System - Consolidated Lists		
	·	
National Inventory	Status	
•		

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	Y
China - IECSC	N (calcium tungstate(VI))
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Y
Korea - KECI	Y
New Zealand - NZIoC	Y
Philippines - PICCS	N (calcium tungstate(VI))
USA - TSCA	Y
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Other information

Ingredients with multiple cas numbers

Name	CAS No
calcium tungstate(VI)	7790-75-2, 14913-80-5
zinc oxide	1314-13-2, 175449-32-8

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios. Scale of use, frequency of use and current or available engineering controls must be considered.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

Chemwatch: 4993-50 Page 8 of 8 Issue Date: 27/06/2017

Version No: 2.1.1.1 Print Date: 04/01/2018 **Dycal Radiopaque Calcium Hydroxide - Base Paste**

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value LOD: Limit Of Detection OTV: Odour Threshold Value BCF: BioConcentration Factors BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.